

Town Of Spencer

Founded February 12, 1820 Municipal Building 90 N. West Street , Spencer, Indiana 47460 Phone 812-829-3213 Fax 812-829-1567

Application for Adjustment of Sewer Bill for Swimming Pools

This form is to be used only for the purpose set forth and authorized by Chapter 21, Article XVII, Section 10, Sewer Fee Adjustment for Swimming Pools.

This application must be submitted before August 15 of the calendar year in which the credit is sought. Applications filed after the 15th day of August will be considered untimely filings and will not be considered for credit. The allowable fill time frame for credit is between the 1st day of May up to and including the 31st day of July of any calendar year in which the credit is sought. However, if this is a first time fill, it can be filled at any time during the calendar year.

There shall be only one credit per swimming pool per parcel of land in any calendar year.

No water shall be discharged from a swimming pool into a Spencer Municipal Sewer System.

Name:						
Address: (City, State:			Zip:	
7.444.0007						
Phone Number (day):		Phone Number (evening):				
Service Address (if different than above):						
- Connect Auto-Contain and Contain and Con						
Sewer Service Account Number:	Location #:			Date of Fill:		
Size of Swimming Pool in Gallons:	Water Meter Read Before Fill:			Water Meter Read After Fill:		
3						
Have you previously applied for a credit on this pool this year? ☐ Yes ☐ No						
Applicant please use this space for additional explanation/comments:						
I AFFIRM UNDER THE PENALTIES FOR PERJURY THAT THE FOREGOING REPRESENTATIONS ARE TRUE AND						
CORRECT.						
Signature:			Date:			

Office Use Only

Date application received: Tin	me Frame Waived By Office:
Computation:	
Water meter read after fill (gallons)	_ Water meter read before fill (gallons) = Gallons
2 Gallons @ \$ per 1,000 Gallons = \$_	plus late fee \$ = \$ adjustment requested
Adjustment:	
☐ Approved:	☐ Denied
Date Approved:	
Amount Approved:	
Date Adjustment Entered In Computer:	